Table AC10. Consumption Intensity by Equipment Type, 2005
Air-Conditioning Intensity

Total		U.S. Households (millions)	Total U.S. Using Any Air-Conditioning	Type o {		
Northeast					Central System ⁵	Window/Wall Units ⁶
Northeast	Total	111.1	91.4	0.9	0.8	1.5
New England.	Census Region and Division					
Middle Attantic	Northeast	20.6	16.3	0.8	0.7	1.2
Midwest. 25.6 23.4 0.8 0.7 East North Central. 17.7 15.9 0.8 0.7 West North Central. 40.7 38.9 1.0 0.9 South. 40.7 38.9 1.0 0.9 South Atlantic. 21.7 20.7 0.9 0.9 East South Central. 6.9 6.6 1.1 1.0 West South Central. 12.1 11.6 1.0 1.0 West. 24.2 12.9 1.0 0.9 Mountain. 7.6 4.3 1.1 1.0 Pacific. 16.6 8.5 0.8 0.8 Four Most Populated States New York. 7.1 5.3 0.9 0.7 Florida. 7.0 7.0 1.0 1.0 Texas. 8.0 7.6 1.0 0.9 California. 12.1 6.6 0.8 0.8 All Other States. 76.9 65.0 0.9 0.8 Urban/Rural Location (as Self-Reported) City. 47.1 37.7 1.0 0.9 Town 19.0 15.9 0.9 0.8 Suburbs. 22	New England	5.5	3.7	0.8	0.6	1.0
East North Central	Middle Atlantic	15.1	12.6	0.8	0.7	1.2
West North Central. 7.9 7.5 0.8 0.8 South	Midwest	25.6	23.4	0.8	0.7	1.6
South 40.7 38.9 1.0 0.9 South Atlantic 21.7 20.7 0.9 0.9 East South Central 6.9 6.6 1.1 1.0 West South Central 12.1 11.6 1.0 1.0 West 24.2 12.9 1.0 0.9 Mountain 7.6 4.3 1.1 1.0 Pacific 16.6 8.5 0.8 0.8 Four Most Populated States New York 7.1 5.3 0.9 0.7 Florida 7.0 7.0 1.0 1.0 Texas 8.0 7.6 1.0 0.9 California 12.1 6.6 0.8 0.8 All Other States 76.9 65.0 0.9 0.8 Urban/Rural Location (as Self-Reported) City 47.1 37.7 1.0 0.9 Town 19.0 15.9 0.9 0.8 Rural <td< td=""><td></td><td>17.7</td><td>15.9</td><td>0.8</td><td>0.7</td><td>1.4</td></td<>		17.7	15.9	0.8	0.7	1.4
South Atlantic	West North Central	7.9	7.5	0.8	0.8	2.2
East South Central 6.9 6.6 1.1 1.0 West South Central 12.1 11.6 1.0 1.0 West 24.2 12.9 1.0 0.9 Mountain 7.6 4.3 1.1 1.0 Pacific 16.6 8.5 0.8 0.8 Four Most Populated States New York 7.1 5.3 0.9 0.7 Florida 7.0 7.0 1.0 1.0 Texas 8.0 7.6 1.0 0.9 California 12.1 6.6 0.8 0.8 All Other States 76.9 65.0 0.9 0.8 Urban/Rural Location (as Self-Reported) City 47.1 37.7 1.0 0.9 Town 19.0 15.9 0.9 0.8 Suburbs 22.7 19.8 0.9 0.8 Rural 22.3 18.0 0.9 0.8 Climate Zone ¹ Less than 2,000 CDD and— 6 0.7 0.6 5,500 to	South	40.7	38.9	1.0	0.9	1.7
West South Central. 12.1 11.6 1.0 1.0 West. 24.2 12.9 1.0 0.9 Mountain. 7.6 4.3 1.1 1.0 Pacific. 16.6 8.5 0.8 0.8 Four Most Populated States New York. 7.1 5.3 0.9 0.7 Florida. 7.0 7.0 1.0 1.0 Texas. 8.0 7.6 1.0 0.9 California. 12.1 6.6 0.8 0.8 All Other States. 76.9 65.0 0.9 0.8 Urban/Rural Location (as Self-Reported) City. 47.1 37.7 1.0 0.9 Town. 19.0 15.9 0.9 0.8 Rural. 22.7 19.8 0.9 0.8 Colimate Zone ¹ Less than 2,000 CDD and- 22.3 18.0 0.7 0.6 6,500 to 7,000 HDD. 26.1 21.0 0.8 0.7 4,000 to 5,499 HDD. 27.3 23.4 0.9 0.8 Fewer than 4,000 HDD. 24.0 17.9 1.0 0.9	South Atlantic	21.7	20.7	0.9	0.9	1.5
West	East South Central	6.9	6.6	1.1	1.0	2.1
Mountain	West South Central	12.1	11.6	1.0	1.0	1.8
Pacific	West	24.2	12.9	1.0	0.9	1.8
New York	Mountain	7.6	4.3	1.1	1.0	2.4
New York	Pacific	16.6	8.5	0.8	0.8	1.6
Florida	Four Most Populated States					
Texas 8.0 7.6 1.0 0.9 California 12.1 6.6 0.8 0.8 All Other States 76.9 65.0 0.9 0.8 Urban/Rural Location (as Self-Reported) City 47.1 37.7 1.0 0.9 Town 19.0 15.9 0.9 0.8 Suburbs 22.7 19.8 0.9 0.8 Rural 22.3 18.0 0.9 0.8 Climate Zone ¹ Less than 2,000 CDD and 5,500 to 7,000 HDD 10.9 7.6 0.7 0.6 5,500 to 7,000 HDD 26.1 21.0 0.8 0.7 4,000 to 5,499 HDD 27.3 23.4 0.9 0.8 Fewer than 4,000 HDD 24.0 17.9 1.0 0.9	New York	7.1	5.3	0.9	0.7	1.3
California 12.1 6.6 0.8 0.8 All Other States 76.9 65.0 0.9 0.8 Urban/Rural Location (as Self-Reported) City 47.1 37.7 1.0 0.9 Town 19.0 15.9 0.9 0.8 Suburbs 22.7 19.8 0.9 0.8 Rural 22.3 18.0 0.9 0.8 Climate Zone 1 Less than 2,000 CDD and Greater than 7,000 HDD 10.9 7.6 0.7 0.6 5,500 to 7,000 HDD 26.1 21.0 0.8 0.7 4,000 to 5,499 HDD 27.3 23.4 0.9 0.8 Fewer than 4,000 HDD 24.0 17.9 1.0 0.9	Florida	7.0	7.0	1.0	1.0	1.6
All Other States	Texas	8.0	7.6	1.0	0.9	2.2
Urban/Rural Location (as Self-Reported) City	California	12.1	6.6	0.8	0.8	1.5
City	All Other States	76.9	65.0	0.9	0.8	1.5
Town	Urban/Rural Location (as Self-Reported)					
Suburbs	City	47.1	37.7	1.0	0.9	1.6
Rural	Town	19.0	15.9	0.9	0.8	1.4
Climate Zone 1 Less than 2,000 CDD and Greater than 7,000 HDD	Suburbs	22.7	19.8	0.9	0.8	1.3
Less than 2,000 CDD and 10.9 7.6 0.7 0.6 5,500 to 7,000 HDD	Rural	22.3	18.0	0.9	0.8	1.7
Less than 2,000 CDD and 10.9 7.6 0.7 0.6 5,500 to 7,000 HDD	Climate Zone 1					
Greater than 7,000 HDD						
5,500 to 7,000 HDD	•	10.9	7.6	0.7	0.6	1.3
4,000 to 5,499 HDD 27.3 23.4 0.9 0.8 Fewer than 4,000 HDD 24.0 17.9 1.0 0.9	•					1.3
Fewer than 4,000 HDD	•					1.4
						1.9
2000 ODD of more unit	•	24.0	17.5	1.0	0.5	1.0
Less than 4,000 HDD		22 B	21.6	1 0	1 0	1.7

Table AC10. Consumption Intensity by Equipment Type, 2005
Air-Conditioning Intensity

	U.S. Households (millions)	Total U.S. Using Any Air-Conditioning		f Air-Conditioning Equip kWh/(CDD*(CSF/1000))]	pment
		Equipment (millions)	Any Air-Conditioning	Central System ⁵	Window/Wall Units ⁶
Type of Housing Unit					
Single-Family Detached	72.1	60.3	0.8	0.8	1.3
Single-Family Attached	7.6	6.0	0.9	0.8	1.5
Apartments in 2-4 Unit Buildings	7.8	6.1	1.5	1.3	1.7
Apartments in 5 or More Unit Buildings	16.7	13.5	1.6	1.3	2.0
Mobile Homes	6.9	5.5	1.8	1.5	3.1
Ownership of Housing Unit					
Owned	78.1	65.8	0.8	0.8	1.3
Single-Family Detached	64.1	53.9	0.8	0.8	1.2
Single-Family Attached	4.2	3.6	0.8	0.7	1.1
Apartments in 2-4 Unit Buildings	1.8	1.7	1.0	0.8	1.2
Apartments in 5 or More Unit Buildings	2.3	1.9	1.0	0.9	1.7
Mobile Homes	5.7	4.7	1.8	1.5	3.1
Rented	33.0	25.7	1.5	1.3	1.9
Single-Family Detached	8.0	6.3	1.2	1.1	1.5
Single-Family Attached	3.4	2.5	1.3	1.1	2.2
Apartments in 2-4 Unit Buildings	5.9	4.4	1.8	1.6	2.1
Apartments in 5 or More Unit Buildings	14.4	11.7	1.7	1.5	2.0
Mobile Homes	1.2	0.8	2.3	1.9	3.2
Year of Construction					
Before 1940	14.7	10.6	1.0	0.7	1.3
1940 to 1949	7.4	5.5	1.1	0.9	1.4
1950 to 1959	12.5	10.3	0.9	0.8	1.3
1960 to 1969	12.5	10.3	1.0	0.8	1.7
1970 to 1979	18.9	15.3	1.0	0.9	1.8
1980 to 1989	18.6	15.6	1.0	0.9	2.1
1990 to 1999	17.3	15.3	0.9	0.8	1.4
2000 to 2005	9.2	8.6	8.0	0.8	1.0

Table AC10. Consumption Intensity by Equipment Type, 2005
Air-Conditioning Intensity

	U.S. Households (millions)	Total U.S. Using Any Air-Conditioning	Type o	oment	
		Equipment (millions)	Any Air-Conditioning	Central System ⁵	Window/Wall Units 6
Household Size					
1 Person	30.0	24.0	0.9	0.7	1.4
2 Persons	34.8	29.1	0.9	0.9	1.5
3 Persons	18.4	15.5	1.0	0.9	1.7
4 Persons	15.9	13.2	0.9	0.8	1.4
5 Persons	7.9	6.7	1.0	0.9	1.6
6 or More Persons	4.1	3.0	1.2	1.0	1.9
2005 Household Income Category					
Less than \$10,000	9.9	7.5	1.3	1.1	1.6
\$10,000 to \$14,999	8.5	6.6	1.2	1.0	1.7
\$15,000 to \$19,999	8.4	6.9	1.1	0.9	2.0
\$20,000 to \$29,999	15.1	12.3	1.1	0.9	1.9
\$30,000 to \$39,999	13.6	11.2	1.0	0.9	1.6
\$40,000 to \$49,999	11.0	9.3	0.9	0.8	1.2
\$50,000 to \$74,999	19.8	16.7	0.9	0.9	1.3
\$75,000 to \$99,999	10.6	9.0	0.8	0.8	1.2
\$100,000 or More	14.2	12.0	0.8	0.8	1.1
Income Relative to Poverty Line					
Below 100 Percent	16.6	12.5	1.3	1.1	1.8
100 to 150 Percent	12.9	10.5	1.2	1.0	1.8
Above 150 Percent	81.5	68.4	0.9	0.8	1.4
Eligible for Federal Assistance ²					
Yes	38.6	30.3	1.1	0.9	1.8
No	72.5	61.2	0.9	0.8	1.3
Payment Method for Utilities					
All Paid by Household	97.5	81.3	0.9	0.8	1.4
Some Paid, Some in Rent	7.6	5.7	1.4	1.1	1.9
All Included in Rent	4.7	3.3	1.7	1.5	2.2
Other Method	1.3	1.1	2.1	1.9	2.1

Table AC10. Consumption Intensity by Equipment Type, 2005
Air-Conditioning Intensity

	U.S. Households (millions)	Total U.S. Using Any Air-Conditioning		Type of Air-Conditioning Equi {kWh/(CDD*(CSF/1000))]	
		Equipment (millions)	Any Air-Conditioning	Central System ⁵	Window/Wall Units ⁶
Ethnic Origin of Householder					
Hispanic Descent	14.8	10.7	1.2	1.0	1.7
Non-Hispanic Descent	96.3	80.7	0.9	8.0	1.5
Race of Householder ³					
White	79.1	66.3	0.9	0.8	1.5
Hispanic	5.0	3.4	1.1	1.0	1.8
Non-Hispanic	74.1	62.9	0.9	0.8	1.5
Black	13.4	11.5	1.0	0.9	1.6
Hispanic	0.3	0.2	1.1	Q	Q
Non-Hispanic	13.1	11.2	1.0	0.9	1.6
Asian	3.3	2.1	1.0	0.9	1.1
Multi-Racial	1.3	1.0	1.2	1.0	1.4
Other	7.1	5.4	1.0	0.9	1.5
Undetermined (Race Reported as Hispanic)	6.9	5.2	1.3	1.1	1.8
Age of Householder					
Under 25 Years	5.5	4.6	1.5	1.2	2.2
25 to 34 Years	18.2	15.2	1.1	0.9	1.7
35 to 44 Years	22.2	18.0	1.0	0.9	1.7
45 to 54 Years	23.3	19.3	0.9	0.8	1.5
55 to 64 Years	18.0	14.5	0.9	0.8	1.4
65 to 74 Years	12.3	10.0	0.7	0.7	1.3
75 Years or More	11.7	9.9	0.8	0.7	1.1
Adults Age 65 or Older in Household					
Yes	26.9	22.1	0.8	0.7	1.3
No	84.2	69.3	1.0	0.9	1.6
Children Under Age 5 in Household					
Yes	15.0	12.6	1.0	0.9	1.8
No	96.1	78.8	0.9	0.8	1.5
Children Age 5 to 16 in Household					
Yes	28.1	23.1	1.0	0.9	1.9
No	83.0	68.3	0.9	0.8	1.4

Table AC10. Consumption Intensity by Equipment Type, 2005
Air-Conditioning Intensity

	U.S. Households (millions)	Total U.S. Using Any Air-Conditioning		f Air-Conditioning Equip kWh/(CDD*(CSF/1000))]		
		Equipment (millions)	Any Air-Conditioning	Central System ⁵	Window/Wall Units 6	
Age of Central Air-Conditioner						
Used by One Housing Unit						
Less than 2 Years	9.0	8.9	0.8	0.8	N	
2 to 4 Years	11.0	10.9	0.8	0.8	N	
5 to 9 Years	16.3	16.1	0.8	0.8	N	
10 to 19 Years	16.8	16.4	0.8	0.8	N	
20 Years or More	6.5	6.1	0.8	0.8	N	
Don't Know	4.5	4.4	0.9	0.9	N	
Used by Two or More Housing Units						
Less than 2 Years	Q	Q	Q	Q	N	
2 to 4 Years	Q	Q	Q	Q	N	
5 to 9 Years	0.3	0.3	1.1	1.1	N	
10 to 19 Years	0.3	Q	Q	Q	N	
20 Years or More	0.3	Q	Q	Q	N	
Don't Know	0.7	0.7	1.3	1.3	N	
Age of Most-Used Window/Wall Unit						
Less than 2 Years	6.4	6.3	1.6	Q	1.5	
2 to 4 Years	7.8	7.7	1.6	1.5	1.6	
5 to 9 Years	7.0	6.9	1.3	1.2	1.3	
10 to 19 Years	3.7	3.6	1.4	Q	1.4	
20 Years or More	2.1	2.0	1.5	Q	1.6	
Don't Know	1.8	1.7	2.2	Q	2.2	
Cooled Floorspace (Square Feet)						
Fewer than 500	37.6	17.9	2.6	2.7	2.5	
500 to 999	19.9	19.9	1.7	1.7	1.5	
1,000 to 1,499	14.3	14.3	1.3	1.3	1.0	
1,500 to 1,999	9.9	9.9	1.1	1.1	0.9	
2,000 to 2,499	7.5	7.5	0.9	0.9	0.6	
2.500 to 2.999	6.1	6.1	0.8	0.8	0.5	
3,000 or 3,499	4.3	4.3	0.7	0.7	Q.S	
3,500 to 3,999	2.9	2.9	0.7	0.7	Q	
4,000 or More	8.7	8.7	0.5	0.5	Õ	

Table AC10. Consumption Intensity by Equipment Type, 2005
Air-Conditioning Intensity

	U.S. Households (millions)	Total U.S. Using Any Air-Conditioning	Type o	oment	
		Equipment (millions)	Any Air-Conditioning	Central System ⁵	Window/Wall Units ⁶
Proportion of Rooms Air-Conditioned ⁴	1.4	N	N	N	N
Some. But Not all of the Rooms	8.4	8.4	1.2	1.2	N
All of the Rooms	56.1	56.1	0.8	0.8	N
Frequency of Central Air-Conditioner Use					
Never	1.4	N	N	N	N
Only a Few Times When Needed	11.4	11.4	0.4	0.4	N
Quite a Bit	12.6	12.6	0.7	0.7	N
All Summer	40.5	40.5	0.9	0.9	N
Frequency of Most Used Window/Wall Unit					
Never	0.6	Q	Q	Q	N
Only a Few Times When Needed	12.1	12.1	0.9	0.9	0.9
Quite a Bit	7.5	7.5	1.3	1.3	1.3
All Summer	8.6	8.6	2.2	Q	2.2
Weekday Home Activities					
Home Used for Business					
Yes	8.9	7.5	0.9	0.8	1.4
No	102.2	83.9	0.9	0.8	1.5
Energy-Intensive Activity					
Yes	2.2	1.6	1.0	0.8	1.8
No	108.9	89.8	0.9	0.8	1.5
Someone Home All Day					
Yes	56.4	46.4	1.0	0.9	1.5
No	54.7	45.0	0.9	0.8	1.6
Adequacy of Insulation					
Well Insulated	42.8	37.2	0.9	0.8	1.3
Adequately Insulated	46.3	37.9	0.9	0.8	1.5
Poorly Insulated	19.0	14.1	1.2	1.0	1.6
No Insulation	1.4	0.8	1.6	Q	2.0
Don't Know	1.7	1.4	1.3	1.0	2.3

Table AC10. Consumption Intensity by Equipment Type, 2005
Air-Conditioning Intensity

	U.S. Households (millions)	Total U.S. Using Any Air-Conditioning Type of Air-Conditioning Equ {kWh/(CDD*(CSF/1000)}		f Air-Conditioning Equi kWh/(CDD*(CSF/1000))]		
		Equipment (millions)	Any Air-Conditioning	Central System ⁵	Window/Wall Units 6	
Home is Too Drafty During the Winter						
Never	62.9	53.8	0.9	0.8	1.4	
Some of the Time	32.4	25.8	1.0	0.8	1.5	
Most of the Time	6.1	4.3	1.1	0.9	1.5	
All of the Time	5.6	4.0	1.4	1.1	1.9	
Don't Know	4.1	3.5	1.2	1.0	1.9	
Unusually High Ceilings						
Yes	27.2	23.3	0.8	0.8	1.2	
No	76.9	62.6	1.0	0.9	1.5	
Not Asked (Mobile Homes)	6.9	5.5	1.8	1.5	3.1	
Cathedral Ceilings						
(In Housing Units with High Ceilings)						
Yes	17.1	14.5	0.8	0.8	1.3	
No	10.1	8.7	0.8	0.8	1.2	
Type of Glass in Windows						
Single-pane Glass	50.7	41.2	1.1	0.9	1.6	
Double-pane Glass						
Without Low-e Coating	50.6	42.1	0.9	0.8	1.4	
With Low-e Coating	8.0	6.7	0.8	0.8	1.0	
Triple-pane Glass						
Without Low-e Coating	1.0	0.9	0.7	0.7	Q	
With Low-e Coating	0.3	0.3	0.6	Q	Q	
Proportion of Original Windows Replaced						
All	22.4	18.1	0.9	0.8	1.3	
Some	21.6	16.9	0.9	0.8	1.5	
None	62.3	52.7	0.9	0.9	1.6	
Don't Know	4.7	3.7	1.3	1.0	2.1	

Table AC10. Consumption Intensity by Equipment Type, 2005
Air-Conditioning Intensity

	U.S. Households (millions)	Using Any {kWh/(CD			onditioning Equipment DD*(CSF/1000))]	
		Equipment (millions)	Any Air-Conditioning	Central System ⁵	Window/Wall Units 6	
Thermostats						
Do Not Have a Thermostat	15.3	10.4	1.4	0.9	1.9	
Have a Thermostat	95.8	81.0	0.9	0.8	1.4	
1	84.5	71.3	0.9	0.8	1.4	
2 or More	11.3	9.8	0.9	0.8	1.2	
Have a Programmable Thermostat						
Yes	33.1	28.7	0.8	0.8	1.0	
No	62.7	52.3	1.0	0.9	1.5	
Use of Programmable Thermostats						
Reduces Temperature During Day						
Yes	18.6	16.3	0.8	0.8	1.0	
No	14.5	12.4	0.9	0.8	1.2	
Reduces Temperature at Night						
Yes	21.5	18.6	0.8	0.8	1.0	
No	11.6	10.1	0.9	0.8	1.2	

¹ One of five climatically distinct areas, determined according to the 30-year average (1971-2000) of the annual heating and cooling degree-days. A household is assigned to a climate zone according to the 30-year average annual degree-days for an appropriate nearby weather station.

Source: Energy Information Administration, Office of Energy Markets and End Use, Forms EIA-457 A-G of the 2005 Residential Energy Consumption Survey.

² Below 150 percent of poverty line or 60 percent of median state income.

³ Respondents were permitted to select more than one racial category to describe themselves. The "Other" category includes Native Americans, Native Alaskans, and Pacific Islanders.

⁴ Only applies to households using central air-conditioning.

⁵ In the 2005 RECS, 1.5 million housing units reported having both central and window/wall air conditioners. They are included in this column.

⁶ In the 2005 RECS, 1.5 million housing units reported having both central and window/wall air conditioners. They are not included in this column.

Q = Data withheld either because the Relative Standard Error (RSE) was greater than 50 percent or fewer than 10 households were sampled.

N = No cases in the reporting sample.

^(*) Number less than 0.5, 0.05, or 0.005 depending on the number of significant digits in the column, rounded to zero.

Notes: • Because of rounding, data may not sum to totals. • See "Glossary" for definition of terms used in this report.